phosphorous emits light by a stimulation of the electrons emitting from the electron-emitting device.

A further object of the present invention is to provide a display device comprising an electron-emitting device in which electron-emitting material comprising the electron-emitting region are in a dispersant stable.

A further object of the present invention is to provide a display device comprising an electron-emitting device in which the electron-emitting material comprising the electron-emitting region are at least two kinds of fine particles of materials having different conductivities.--;

delete lines 6-8 and rewrite as follows:

--Fig. 1 is a cross-section illustrating an embodiment of a vertical type electron-emitting device of the present invention.

Fig. 2 is a cross-section illustrating another embodiment of a vertical type electron-emitting device of the present invention.

Figs. 3(a) and 3(b) illustrate an example for a method of preparing the electron-emitting device of the present invention.

Fig. 4 is a cross-section illustrating an embodiment of a vertical type electron-emitting device of the present invention.

3

Fig. 5 is a cross-section illustrating still another embodiment of a vertical type electron-emitting device of the present invention.

Figs. 6a and 6b illustrate examples for a method of preparing an embodiment of an electron-emitting device of the present invention.

Fig. 7 illustrates a further step in a method of preparing an embodiment of an electron-emitting device of the present invention.

Page 7, delete lines 15-17, and rewrite as follows:

A

--Figs. 11(1) to 11(5) are cross-sections illustrating the preparation steps of an electron-emitting device of the present invention.

Fig. 12 illustrates a preparation step of an electron-emitting device of the present invention.

Figs. 13(a) and 13(b) illustrate preparation steps of another embodiment of an electron-emitting device of the present invention.

Figs. 14(1), to 14(5), are cross-sections illustrating each of the preparation steps of another embodiment of an electron-emitting device of the present invention.

Figs. 15(a) and 15(b) illustrate preparation steps of another embodiment of an electron-emitting device of the present invention.

(christ)

Figs. 16(a) and 16(b) illustrate preparation steps of another embodiment of an electron-emitting device of the present invention.--;

delete lines 22-26, and rewrite as follows:

--Figs. 17 and 18 diagnostically illustrate electron-emitting device of the present invention having a semiconductor layer comprising fine particles arranged in a disposed state.

Figs. 19(1) to 19(3) are cross-sections illustrating an electron-emitting device of the present invention for each preparation step.

Fig. 20 diagrammatically illustrates an embodiment of an electron-emitting device of the present invention having a semiconductor layer comprising fine particles arranged in a dispersable state.

Figs. 21 and 22 diagrammatically illustrate other embodiments of an electron-emitting device of the present invention.

Figs. 23(1) to 23(4) illustrate the step in the preparation of an embodiment of an electron-emitting device of the present invention.

Figs. 24 and 25 are cross-sections illustrating embodiments of an electron-emitting device of the present invention.

5

Figs. $26\frac{(1)}{(1)}$ to $26\frac{(5)}{(5)}$ are cross-sections illustrating the preparation steps of an embodiment of an electron-emitting device of the present invention.

Fig. 27 illustrates another embodiment of an electron-emitting device of the present invention.--.

Page 8, delete lines 1-3, and rewrite as follows:

--Figs. 28(a) to 28(c), Figs. 29(a) to 29(c), and Figs. 30(a) to 30(d) illustrate preparation steps in other embodiments of an electron-emitting device of the present invention.

Fig. 31 illustrates another embodiment of an electron-emitting device of the present invention.

Figs. 32(a) and 32(b), Figs. 33(a) to 33(d) and Figs. 34(a) to 34(d) illustrate the preparation steps in other embodiments of an electron-emitting device of the present invention.

Figs. 35 and 36 diagrammatically illustrate an electron-emitting device according to other embodiments of specific structures of the present invention.--;

line 4, change "Fig. 37" to --Figs. 37(a) and 37(b)-- and change "illustrates" to --illustrate--.

IN THE CLAIMS:

Please cancel claim 96 without prejudice.

102